

# ONLINE TIMED SALE

at:  
[www.bidspotter.co.uk](http://www.bidspotter.co.uk)

# AUCTION SALE

**Pro Auction**  
Limited  
Valuers & Auctioneers

**All bids to be in:  
Wednesday 1st August 2012,  
by 2.30pm**

On instructions of retained clients we offer for sale a selection of **Food Processing and Commercial Catering** equipment to include, flow wrappers, fork lifts, tray washers, refrigeration and other equipment used in the food industry.



**Viewing:**

**At various locations by appointment with auctioneers only  
on Monday 30th July 2012**

Online bidding only at: [www.bidspotter.co.uk](http://www.bidspotter.co.uk)

[www.proauction.ltd.uk](http://www.proauction.ltd.uk)

Email: [info@proauction.ltd.uk](mailto:info@proauction.ltd.uk)

Telephone: 01761 414000 Facsimile: 0845 280 2492

PLEASE VISIT THE WEBSITE  
TO VIEW ANY DRAWINGS OR PLANS OF EQUIPMENT BEFORE PLACING BIDS.



PLEASE VISIT THE WEBSITE  
TO VIEW ANY DRAWINGS OR PLANS OF EQUIPMENT BEFORE PLACING BIDS.



**Pro Auction Limited**

Unit 5, Midsomer Enterprise Park, Radstock Road, Bath, BA3 2BB United Kingdom

Tel: +44(0)1761 414000 Fax: +44(0)845 280 2492

Email: [info@proauction.ltd.uk](mailto:info@proauction.ltd.uk) Website: [www.proauction.ltd.uk](http://www.proauction.ltd.uk)

Company Registration no: 5059610

# GENERAL CONDITIONS OF SALE

(as approved by The Royal Institution of Chartered Surveyors)

## GLOSSARY

This glossary applies to the auction conduct conditions and the sale conditions.

Wherever it makes sense:

- singular words; can be read as plurals, and plurals as singular words;
- a "person" includes a corporate body;
- words of one gender include the other genders;
- references to legislation are to that legislation as it may have been modified or re-enacted by the date of the auction or the contract date (as applicable); and
- where the following words printed bold black type appear in bold blue type they have the specified meanings.

### Addendum

An amendment or addition to the conditions or to the particulars or to both whether contained in a supplement to the catalogue, a written notice from the auctioneers or an oral announcement at the auction.

### Approved financial institution

Any bank or building society that has signed up to the Banking Code or Business Banking Code or is otherwise acceptable to the auctioneers.

### Auction

The auction advertised in the catalogue. Any auction (whether a Live Auction or an Online Auction and whether conducted independently or simultaneously) conducted pursuant to these General Conditions and the Special Conditions

### Auction conduct conditions

The conditions so headed, including any extra auction conduct conditions.

### Auctioneers

The auctioneers at the auction. In these general conditions the expression "the Auctioneer" includes his employees and agents and any person to whom conduct of the Auction is delegated.

### Bid

An offer to purchase any Lot whether by bidding at Auction or offering to purchase by private treaty or tender.

### Bidder

Any person or commercial entity who offers to purchase any lot whether by bidding at live auction, online sale or offering to purchase by private treaty or tender. Every Bidder shall be deemed to act as principal unless the auctioneer acknowledge in writing that he acts as Agent on behalf of a named principal.

### Buyers Premium / commission

A commission payable by the buyer on the completion of a Sale the amount of which is set out in the Special Conditions. The auctioneer, when acting as Agent for the Seller, may also receive commission from the seller.

### Business day

Any day except (a) a Saturday or a Sunday; (b) a bank holiday in England and Wales; or (c) Good Friday or Christmas Day.

### Buyer

The person who agrees to buy the lot or, if applicable, that person's personal representatives: if two or more are jointly the buyer their obligations can be enforced against them jointly or against each of them separately.

### Catalogue

The catalogue to which the conditions refer including any supplement to it.

### Condition

One of the auction conduct conditions or sales conditions.

### Contract

The contract by which the seller agrees to sell and the buyer agrees to buy the lot.

### Contract date

The date of the auction or, if the lot is not sold at the auction: (a) the date of the sale memorandum signed by both the seller and buyer; or (b) if contracts are exchanged, the date of exchange. If exchange is not effected in person or by an irrevocable agreement to exchange made by telephone, fax or electronic mail the date of exchange is the date on which both parts have been signed and posted or otherwise placed beyond normal retrieval.

### General conditions

That part of the sale conditions so headed, including any extra general conditions.

### Interest rate

If not specified in the special conditions, 4% above the base rate from time to time of Barclays Bank plc. (The interest rate will also apply to judgment debts, if applicable.)

### Lot

Each separate property described in the catalogue or (as the case may be) the property that the seller has agreed to sell and the buyer to buy (including chattels, if any).

### Particulars

The section of the catalogue that contains descriptions of each lot (as varied by any addendum).

### Practitioner

An insolvency practitioner for the purposes of the Insolvency Act 1986 (or, in relation to jurisdictions outside the United Kingdom, any similar official).

### Price

The price that the buyer agrees to pay for the lot.

### Sale conditions

The general conditions as varied by any special conditions or addendum.

### Sale memorandum

The form so headed (whether or not set out in the catalogue) in which the terms of the contract for the sale of the lot are recorded.

### Seller

The person selling the lot. If two or more are jointly the seller their obligations can be enforced against them jointly or against each of them separately.

### Special conditions

Those of the sale conditions so headed that relate to the lot.

### Transfer

Transfer includes a conveyance or assignment (and "to transfer" includes "to convey" or "to assign").

### VAT

Value Added Tax or other tax of a similar nature.

**We** (and us and our) The auctioneers.

**You** (and your) Someone who has a copy of the catalogue or who attends or bids at the auction, whether or not a buyer.

## AUCTION CONDUCT CONDITIONS

### A1 Introduction

A1.1 Please ensure that you are familiar with the meanings as defined in the Glossary.

A1.2 The catalogue is issued only on the basis that you accept these auction conduct conditions. They govern our relationship with you and cannot be disappled or varied by the sale conditions (even by a condition purporting to replace the whole of the Common Auction Conditions). They can be varied only if we agree.

### A2 Our role

A2.1 As agents for each seller we have authority to:

- prepare the catalogue from information supplied by or on behalf of each seller;
- offer each lot for sale;
- sell each lot;
- receive and hold deposits;
- issue and collect proceeds against an invoice.

A2.2 Our decision on the conduct of the auction is final.

A2.3 We may cancel the auction, or alter the order in which lots are offered for sale. We may also combine or divide lots. A lot may be sold or withdrawn from sale prior to the auction.

A2.4 You acknowledge that to the extent permitted by law we owe you no duty of care and you have no claim against us for any loss.

### A3 Bidding and reserve prices

A3.1 All bids are to be made in pounds sterling exclusive of any buyers premium, administration charges or VAT.

A3.2 We may refuse to accept a bid. We do not have to explain why.

A3.3 If there is a dispute over bidding we are entitled to resolve it, and our decision is final.

A3.4 Unless stated otherwise each lot is subject to a reserve price (which may be fixed just before the lot is offered for sale). If no bid equals or exceeds that reserve price the lot will be withdrawn from the auction.

A3.5 Where there is a reserve price the seller may bid (or ask us or another agent to bid on the seller's behalf) up to the reserve price but may not make a bid equal to or exceeding the reserve price. You accept that it is possible that all bids up to the reserve price are bids made by or on behalf of the seller.

A3.6 Where a guide price (or range of prices) is given that guide is the minimum price at which, or range of prices within which, the seller might be prepared to sell at the date of the guide price. But guide prices may change. The last published guide price will normally be at or above any reserve price, but not always – as the seller may fix the final reserve price just before bidding commences.

### A4 The particulars and other information

A4.1 We have taken reasonable care to prepare particulars that correctly describe each lot. The particulars are based on information supplied by or on behalf of the seller. You need to check that the information in the particulars is correct.

A4.2 The particulars and the sale conditions may change prior to the auction and it is your responsibility to check that you have the correct versions.

A4.3 If we provide information, or a copy of a document, provided by others we do so only on the basis that we are not responsible for the accuracy of that information or document.

### A5 The contract

A5.1 A successful bid is one we accept as such (normally on the fall of the hammer). This condition A5 applies to you if you make the successful bid for a lot.

A5.2 You are obliged to buy the lot on the terms of the sale at the price you bid plus the buyers premium any applicable administration charges plus VAT.

A5.3 You must before leaving the auction:

- provide all information we reasonably need from you to enable us to complete the sale invoice (including proof of your identity if required by us);
- pay the deposit.

A5.4 If you do not we may either:

- as agent for the seller treat that failure as your repudiation of the contract and offer the lot for sale again: the seller may then have a claim against you for breach of contract; or
- sign the sale memorandum on your behalf.

A5.5 The deposit:

- is to be held as stakeholder where VAT would be chargeable on the deposit were it to be held as agent for the seller, but otherwise is to be held as stated in the sale conditions; and
- must be paid in pounds sterling by cheque or by bankers' draft made payable to us on an approved financial institution. The extra auction conduct conditions may state if we accept any other form of payment.

A5.7 If the buyer does not comply with its obligations under the contract then:

- you are personally liable to buy the lot even if you are acting as an agent; and
- you must indemnify the seller in respect of any loss the seller incurs as a result of the buyer's default.

A5.8 Where the buyer is a company you warrant that the buyer is properly constituted and able to buy the lot.

**General Terms & Conditions section(s) b/c/d/e/f – relate only to sales physically conducted outside of the European Union and as such do not form part of the general conditions of sale for this auction.**

## GENERAL CONDITIONS OF SALE

**Some words have special meanings, which are defined in the Glossary. The general conditions (including any extra general conditions) apply to the contract except to the extent that they are varied by special conditions or by an addendum.**

### G1. The lot

G1.1 The lot (including any rights to be granted or reserved, and any exclusions from it) is described in the special conditions, or if not so described the lot is that referred to in the sale memorandum.

G1.2 The lot is sold subject to all matters contained or referred to in the documents, but excluding any financial charges: these the seller must discharge on or before completion.

G1.3 The lot is also sold subject to such of the following as may affect it, whether they arise before or after the contract date and whether or not they are disclosed by the seller or are apparent from inspection of the lot.

G1.4 Where anything subject to which the lot is sold would expose the seller to liability the buyer is to comply with it and indemnify the seller against that liability.

G1.5 The lot comprises of the catalogued item all items in, under, over and around any lot in this catalogue are not included with such lot unless specifically stated in the catalogue description.

G1.6 The lot does not include any tenant's or trade fixtures or fittings.

G1.7 The buyer acknowledges that in agreeing to purchase any Lot he is not relying on any warranties or representations made by the seller or the auctioneer or any of their employee's agents or representatives. All representations, warranties and conditions, express or implied, statutory or otherwise in respect of all and any of the lots are expressly excluded and without limitation any warranties and conditions as to title, quiet possession, satisfactory quality, fitness for purpose and description are excluded to the fullest extent as permitted by law.

The buyer further acknowledges that:

(a) neither the seller nor the auctioneer shall in any circumstances be liable to or to compensate the buyer nor shall the buyer be entitled to rescind the Sale or reject any Lot for an error omission or misstatement contained in the Catalogue and/or in the Special Conditions.

(b) all the lots are purchased on the basis that risk of good title to all or any of them passing to the buyer is at the buyer risk and without limitation the Lots are sold subject to all claims, liens, distraint and execution and subject to all leasing, hire or hire purchase agreements and reservation of title claims (if any) in respect of them;



# GENERAL CONDITIONS OF SALE continued

(as approved by The Royal Institution of Chartered Surveyors)

(c) if it shall be found that the seller does not have title to all or any of the lot the buyer shall have no right to rescind, avoid or vary this agreement or to claim damages or a reduction in the price paid or payable;

(d) any intellectual property rights or software subsisting in a Lot may be third party property and as such the seller and/or the auctioneer may be unable to effect transfer. The buyer will not be authorised to use intellectual property rights or software and any such use or transfer shall be at the buyer sole risk.

(e) The buyer undertakes that it shall ensure that any vehicle comprised in any Lot is in a roadworthy condition in accordance with the Road Vehicle (Construction and Use) Regulations 1986 and any subsequent amendments thereof or such other relevant regulations as shall from time to time be in force before using it on a public road. It is the buyer's responsibility to remove any logos and lettering from vehicles. Odometer readings are not warranted.

(f) any item of plant, machinery or equipment contained in the lot (s) may not necessarily comply with any statutory requirements or regulations governing the use of that plant, machinery or equipment in their working environment. Neither the seller nor the auctioneer shall incur any liability to the buyer because of any default or defect in all or any of the lots. Buyer are entirely responsible for ensuring that the use of any item of plant, machinery or equipment does not contravene any health and safety and environmental legislation in existence at the time of the Sale.

(g) agrees that the auctioneer is acting only as agent of the seller and it is expressly agreed and declared that no personal liability in connection with the sale of any lot or otherwise shall fall on the auctioneer and the buyer shall indemnify the auctioneer against all and any liabilities arising under or in connection with the Sale of any Lot. Insolvency Practitioner(s), including Administrative Receiver(s), Administrator(s) and Liquidator(s) act as agent(s) for the seller without personal liability and shall incur no personal liability whatsoever in relation to a Sale or pursuant to any document relating thereto.

G1.8 The buyer agrees that the General Conditions and the exclusions which they contain are fair and reasonable bearing in mind that:-

(a) the buyer must rely absolutely on the buyer's own opinion and/or professional advice concerning the quality, state, condition, performance and functionality of the lot any right, title or interest which is sold under the terms of these General Conditions, their fitness and suitability for any particular or any purpose, the possibility that some or all of them may have defects not apparent on inspection and examination including, without limitation, the presence of contamination and the possibility that the buyer may not acquire title and the fact that the buyer would have no remedy under this Agreement should that happen;

(b) the buyer has available to it skilled professional advice and on that basis agrees to purchase a lot for a consideration calculated to take into account amongst other things the risk to it represented by the fact that the parties believe that all the exclusions and limitations set out in these General Conditions would be recognised as being fully effective by the Courts and the seller making it clear that it would not have agreed to sell any lot on any other basis except for a higher consideration;

(c) the buyer has been given every opportunity which might reasonably be expected to examine and inspect the lot.

(d) The buyer acknowledges that a Sale by Auction is not a consumer sale for the purposes of the Sale of Goods Act 1979 (as amended by the Sale and Supply of Goods Act 1994) and the Unfair Contract Terms Act 1977 and the buyer shall not seek to rely upon and conditions or warranties implied thereby or by any other legislation.

## G2. Deposit

G2.1 The amount of the deposit is the greater of:

(a) any minimum deposit stated in the auction conduct conditions (or the total price, if this is less than that minimum); and

(b) 25% of the price (exclusive of any VAT on the price).

## G2.2 The deposit

(a) Must be paid in pounds sterling by bankers transfer, cash or credit/debt card (or by other means of payment that the auctioneers may accept); and

(b) is to be held as stakeholder unless the auction conduct conditions provide that it is to be held as agent for the seller.

G2.3 Where the auctioneers hold the deposit as stakeholder they are authorised to release it (and interest on it if applicable) to the seller on completion or, if completion does not take place, to the person entitled to it under the sale conditions.

G2.4 If a cheque for all or part of the deposit is not cleared on first presentation the seller may treat the contract as at an end and bring a claim against the buyer for breach of contract, additionally the buyer will be liable for all charges and expenses incurred as a result of a non cleared payment.

G2.5 Interest earned on the deposit belongs to the seller unless the sale conditions provide otherwise.

## G4 Identity of Parties

Every buyer is required to give his name and address and provide satisfactory proof of identity and such other information and documentation as is required to the Company before making any Bid and in the case of:

(a) A Live Auction by the completion of a registration form;

(b) An Online Auction by online registration at the Website; and

(c) A private treaty or tender by prior registration or notification of details, as and when requested by the auctioneer.

The Company reserves the right at any time to reject the registration of any persons and refuse access to the Auction at its sole discretion.

The auctioneer Name & Registered Office: Pro Auction Ltd, The Counting House, 13a Church Farm Business Park, Corston, Bath BA2 9AP. Company No. 05059610.

The auctioneer may from time to time act jointly with an associated Auctioneer who will be named in the Catalogue and/or in the Special

The seller the person upon whose instructions the auctioneer is conducting the sale, details of whom are set out in the Special Conditions of Sale.

## G5 Conduct of Auctions

G5.1 Any lot may be subject to a minimum bid or reserve price. The auctioneer or the seller is entitled to change these at any time before the conclusion of the Sale.

G5.2 The seller, auctioneer or any representative, agent or person acting on behalf of the seller may Bid for any lot. Persons entitled to Bid pursuant to this condition shall be entitled to place Bids on any lot up to the reserve price including by placing Bids in response to other Bidders.

G5.3 Lot descriptions will be amended as appropriate as and when information becomes available to the auctioneer. Prospective Bidders must read lot descriptions before making a Bid so that they are fully aware of any amendments to the description appearing in the Special Conditions and/or on the Website or in the Catalogue in relation to a particular lot.

G5.4 The auctioneer may at any time before the conclusion of the Sale withdraw or divide any lot or combine any lot or sell any lot by private treaty or tender before, during or after the Auction.

G5.5 The auctioneer may reject any Bid at his sole discretion and without being required to give a reason.

G5.6 No Bid shall be retracted without the consent of the auctioneer.

G5.7 The auctioneer may where there is a dispute between buyer, summarily determine the dispute or immediately again offer the Lot for sale, in each case without being required to give a reason.

G5.8 The auctioneer shall in every other respect decide how the Auction is to be conducted and without being required to give a reason.

G5.8 A Sale is concluded (constituting acceptance of the Bidder's offer, subject to General Condition when:

(a) in the case of a Live Auction, on the fall of the auctioneers hammer and/or;

(b) in the case of an Online Auction, at the close of the timed Online Auction Sale as specified on the Website and as defined by General Condition

(c) in the case of a private treaty or tender, when the Bidders Bid is accepted by the auctioneer, such acceptance to be communicated to the Bidder in writing by way of receipt of the auctioneers invoice.

G5.9 The buyer shall be the person who made the highest Bid before the conclusion of the Sale pursuant to General Condition G5.8 above subject to approval and acceptance by the auctioneer and the Seller or such other Bidder as the auctioneer may declare to be the buyer without being required to give a reason. The auctioneer and/ or the seller is not bound to accept the highest Bid or any other Bid placed in the course of the auction.

G5.10 In the case of an Online Auction the buyer, as determined under General Condition above, shall within a reasonable time after the conclusion of the Sale receive by email an invoice in respect of the monies due for the Lot(s) purchased.

G5.11 In the event that the reserve price is not met, the auctioneer may consider the Bids received below the reserve price with the seller who at its sole discretion may accept, reject or place a counteroffer.

G5.12 On conclusion of the Sale and acceptance of the Bidders Bid pursuant to General Conditions, the buyer acknowledges and agrees that he has entered into a contract with the seller to buy the Lot and the Buyer must complete the transaction to purchase the Lot.

G5.13 The buyer may not remove any Lot he has bought until after the end of the Auction.

G5.14 In relation to an Online Auction:

(a) the auctioneer cannot guarantee that the internet services will operate continuously or without interruptions and this could affect the conduct of the Online Auction and the Bidders ability to Bid online. The Company shall not be liable in any respect in the event of any dispute due to errors, omissions or disruptions to internet services or power failures or any other unforeseen circumstances which may occur during the Online Auction;

(b) the auctioneer may at any time, without notice, postpone or cancel an Online Auction or extend an Online Auction beyond the published closing time (including extension of the timed Online Auction in accordance with General Condition below);

(c) the timed Online Auction Sale is auto bid extension enabled meaning that where a Bid is placed within ten minutes of the original scheduled close of the timed Online Auction the scheduled close of the timed Online Auction will automatically be extended by an additional ten minutes. This continues with a new scheduled close time each time a Bid is placed until no-one places a Bid before the last scheduled close of the timed Online Auction. Such time shall then be deemed to be the close of the timed Online Auction.

G5.15 In the event that the auctioneer unknowingly sells a Lot that was not eligible for Sale (i.e. there is a third party interest that comes to light) then the auctioneer shall be entitled to immediately rescind that Sale without any further liability to the auctioneer or the seller.

G5.16 Copies of the Auctions (Bidding Agreements) Act 1927 and 1969 are held at the auctioneers principal place of business.

## G6 Sale and Payment

G6.1 The buyer shall pay the following sums to the auctioneer in full and without set off:-

(a) immediately upon the Sale of any Lot the Deposit, if requested by the auctioneer and

(b) the balance of the price of the Lot purchased, together with the Buyer's Premium, lift out charges and VAT.

(c) any other payment or amount due to the seller and/or the auctioneer pursuant to these General Conditions or the Special Conditions on demand.

G6.2 The time for complying with clause G6.1 above shall be the time specified in the Auction catalogue or if no time is specified there, 4pm on the next working day and in every case time shall be of the essence.

G6.3 In view of Money Laundering Regulations the auctioneer reserves the right to refuse payment in cash. Payments in cash of more than £7,500 will not in any circumstances be accepted.

G6.4 The auctioneer is entitled to charge in full or in part the amount due including all fees, from debit or credit card details registered by bidders participating in auction events

G6.4 If the buyer fails to make any payment on the due date for payment then, without limiting any other right or remedy available to the seller, the buyer shall pay to the auctioneer interest (both before and after any judgment) on the amount unpaid at the rate of 4% above the base rate from time to time of Barclays Bank plc. (The interest rate will also apply to judgment debts, if applicable) per month or any part thereof until payment in full is made.

G6.5 Until the buyer has fully complied with its obligations under the General Conditions

(a) title to any Lot bought shall not pass to the buyer;

(b) the seller or the auctioneer shall have a lien over any Lot bought by the buyer in the Auction;

(c) if the buyer effects or purports to effect a resale or any other disposition of all or part of the Lot, the buyer shall hold the proceeds of resale or other disposition on trust for the seller.

G6.6 All sums payable under these General Conditions and the Special Conditions are exclusive of any applicable VAT for which the buyer shall be additionally liable to pay to the auctioneer. On written request by the buyer the auctioneer will provide a VAT invoice.

## G7 Removal of Lots

G7.1 The ownership of the Lot purchased shall not pass to the Buyer until he has made payment in full to the auctioneer of 'the total amount due', but each Lot is at the sole risk of the Buyer from the fall of the hammer .

G7.2 The removal of Lots from the Location shall be undertaken by the Buyer entirely at its own risk and without any liability whatsoever to the seller or auctioneer.

G7.3 Buyers are responsible for any and all costs and expenses incurred in relation to the removal of Lots and any other applicable charges, taxes and insurance costs.

G7.4 The Buyer may not remove any Lot until the Buyer has:-

(a) paid by cleared funds all amounts payable pursuant to the conditions of sale

(b) if requested by the auctioneer and/or the seller produced satisfactory evidence to the Auctioneer that the Buyer has adequate public liability insurance in respect of the indemnity set out in General Condition below and/or deposited with the auctioneer, by way of security, for the costs of making good any damage likely to occur, such sum as the Auctioneer may stipulate.

G7.5 The Buyer must remove each Lot purchased by the Clearance Date and Time for which time shall be of the essence. Lots may only be removed during normal working hours or such hours as are specified in the Special Conditions.

G7.6 Buyers should co-operate regarding order of removal of Lots in order to comply with the Clearance Date and Time. If it transpires that a Buyer makes no effort to commence dismantling and the particular Lot is preventing other buyers from removing purchased Lots, then the Auctioneer reserves the right to insist that removal take place immediately notwithstanding the specified Clearance Date and Time. In the event the Buyer does not comply with its obligations under this General Condition G7.7, then the Auctioneer reserves the right to arrange for the removal and/or storage of the Lot and charge any attendant costs to the Buyer.

# GENERAL CONDITIONS OF SALE continued

(as approved by The Royal Institution of Chartered Surveyors)

G7.7 If any Lot is unsold and has to be dismantled & lowered to allow the removal of any other lot, then such dismantling & lowering shall be the responsibility of the Buyer of the relevant Lot(s).

G7.8 Title to computer software sold pursuant to the Sale of a Lot is not transferred under any Sale to the Buyer and use is subject to any licence or copyright restrictions and user conditions. The auctioneer or the seller reserve the right to erase any private or sensitive information prior to the Sale or at any later date.

G7.9 The Buyer and/or his removal contractor must liaise with the Company's site representative prior to commencing dismantling/removal of a Lot from the Location and must at all times comply with its obligations under clause G7.11 below.

G7.10 When removing any Lot from the Location the Buyer shall, or shall procure that its removal contractors shall:

(a) carry out a full assessment of Lot, the Location and the land or buildings to which the Lot is fixed to assess the risks associated with detaching/removing the Lot and shall fully satisfy themselves that they can detach/remove the Lot in compliance with the Buyers obligations under this

(b) obtain all relevant planning permissions (where required) in relation to the removal of building structures and plant housings;

(c) buyers of Lots will be required to make good holes or voids exposed by the removal of Lots. Cladding taken off buildings for removal of plant & equipment will have to be replaced, unless otherwise specified by the Company;

(d) when detaching any Lot fixed to land or buildings, do so safely and lawfully and must not use flame cutters, explosives or any other dangerous equipment or process without first obtaining written consent of the Company;

(e) remove the Lot in compliance with all relevant legislation, regulations, codes of practice, guidance, orders, rules and other requirements of any relevant government or governmental agency or authority whether Parliamentary, statutory, parochial or local including (without limitation) in compliance with the Health and Safety at Work etc Act 1974, the Environmental Protection Act 1990, The Construction (Design and Management) Regulations 2007, Control of Substances Hazardous to Health Regulations 2002 (COSHH), and the Road Vehicle (Construction and Use) Regulations 1986 and any subsequent amendments thereof and all other health and safety and environmental legislation in existence at the time of the Sale.

(f) To the extent that such regulations are advisory rather than mandatory, the standard of compliance to be achieved by the Buyer shall be to the best industry practice; In all cases arising under this General Condition 7.11 the costs of compliance shall be borne by the Buyer and the Buyer hereby indemnifies the Auctioneer and the Seller against all losses, costs, expenses, damages, liabilities, demands, claims, actions and proceedings which the Auctioneer and/or the Seller may incur arising directly or indirectly out of any breach by the Buyer to the provisions of these conditions and the Buyer shall make good any damage caused to (without limitation) other lots, the Location or to any property belonging to third parties, in removing any Lot.

(g) The auctioneer shall be entitled to halt the clearance of any Lot if in its absolute discretion the removal of a Lot is being carried out in an unsatisfactory manner. Where the clearance is halted by the auctioneer, the Buyer must liaise with the auctioneer site representative as to how the Lot should be removed from the Location provided that the Buyer shall at all times ensure that it complies with its obligations under General Condition 7.11 above and the seller nor the auctioneer shall have any liability in this regard.

(h) The Buyer shall provide evidence as and when requested by the auctioneer of the Buyer's insurance policies in respect of the following insurances and at a minimum level of: Public Liability Cover - limit Two Million Pounds (£ 2,000,000); and Employers Liability Cover - limit Ten Million Pounds (£10,000,000); the auctioneer reserves the right to vary the level of insurance cover stated above at any time, as and when required.

(i) The Buyer shall provide to the auctioneer a Risk Assessment & Method Statement complying with The Construction (Design & Management) Regulations 2007, COSHH or with any subsequent amendments thereof or such other legislation as shall from time to time be in force.

(j) Electric, gas, water, steam and waste disconnections are the responsibility of the Buyer and MUST be carried out by an approved contractor following consultation with the site representative.

(k) It is expressly brought to the Buyer's attention that certain Lots could contain blue or white asbestos, dangerous chemicals etc. which if not handled correctly during their removal could result in breach of Health & Safety at Work legislation and/or Control of Substances Hazardous to Health Regulations or other statutory requirements.

(l) Any fluids, gases and/ or waste remaining in plant and machinery are the responsibility of the Buyer and MUST be removed from the Location strictly in accordance with any applicable statutory requirements.

(m) The Buyer must use safe and lawful means of removing the Lot, must comply with all current statutory requirements and regulations including those relating to the disposal and removal of waste, and if required, satisfy the auctioneer in relation to their removal procedures; in particular, the removal of waste materials must be undertaken by an approved and licensed contractor to an approved waste management site.

G7.11 The Buyer shall indemnify the auctioneer and the Seller against any loss, damages, expenses, claims or liabilities arising directly or indirectly from the possession or use of the Lot after title to the Lot has passed to the Buyer but before it is removed from the Location.

G7.12 All Lots are sold on the understanding that the Seller does not represent them as being in a condition which makes them suitable for domestic use. If any Lots are intended for domestic use the Buyer must ensure that they comply with the requirements of the Furniture & Furnishings (Fire) (Safety) Regulations 1988 and any subsequent amendments thereof or such other relevant statutory requirements or regulations as shall from time to time be in force.

G7.13 The Buyer undertakes to comply with the provisions of the Data Protection Act 1998 in processing data held by them in connection with any Lot.

## G8 Default

G8.1 If at any time the Buyer has failed either to pay the sums specified above in full, by the expiry of the time specified in clause above (or any extension granted), or to remove any Lot by the time specified the auctioneer and or the seller

(a) may rescind the Sale of that Lot, in which case any deposit shall be forfeit, and that Lot may be resold by auction or privately;

(b) may remove the Lot from the Location and leave it outside at the Buyer's risk in all respects;

(c) may charge the Buyer for the reasonable costs of transporting the lot, storage and administration charges;

(d) may charge the Buyer rent, taxes, men's wages and expenses incurred as a result of the Lot(s) remaining at the Location

G8.2 If the Auctioneer has rescinded the sale but the Buyer has removed the Lot bought, the Auctioneer shall be entitled without previous notice to enter upon any premises where he believes the Lot to be and remove it.

G8.3 If the Auctioneer has rescinded the sale and the Lot has been resold, the Buyer shall make good any deficiency, namely:-

(a) the sale price less the resale price;

(b) the costs of and incidental to resale.

G8.4 If because the Buyer has failed to remove any Lot by the time specified above (or any extension granted), and the Seller is unable to give vacant possession on disposing of or relinquishing any interest in the premises from which the Lot should have been removed, the Buyer shall compensate the Seller for any loss resulting and shall indemnify the Seller against any loss, damages, expenses, claims or liabilities incurred arising from the Buyer's failure to remove the Lot from the Location.

## G9 Acknowledgements and Exclusion of Warranties

G9.1 The Buyer acknowledges that in agreeing to purchase any Lot he is not relying on any warranties or representations made by the Seller or the Auctioneer or any of their employee's agents or representatives. All representations, warranties and conditions, express or implied, statutory or otherwise in respect of all and any of the Lots are expressly excluded and without limitation any warranties and conditions as to title, quiet possession, satisfactory quality, fitness for purpose and description are excluded to the fullest extent as permitted by law.

G9.2 The Buyer further acknowledges that neither the Sellers nor the Auctioneer shall in any circumstances be liable to or to compensate the Buyer nor shall the Buyer be entitled to rescind the Sale or reject any Lot for an error, omission or misstatement (including photographic images or website entries) contained in the Catalogue and/or in the Special Conditions

G9.3 The Buyer also acknowledges that:-

(a) all the Lots are purchased on the basis that risk of good title to all or any of them passing to the Buyer is at the Buyer's risk and without limitation the Lots are sold subject to any claims, liens, distraint and execution and subject to all leasing, hire or hire purchase agreements and reservation of title claims (if any) in respect of them;

(b) If it shall be found that the Seller does not have title to all or any of the Lots the Buyer shall have no right to rescind, avoid or vary this agreement or to claim damages or a

reduction in the price paid or payable;

(c) anything found in, under, near or in any Lot which is not specifically included in the description of the Lot remains the property of the Seller;

(d) any intellectual property rights or software subsisting in a Lot may be third party property and as such the Seller and/or the Auctioneer may be unable to effect transfer. The Buyer will not be authorised to use intellectual property rights or software and any such use or transfer shall be at the Buyers sole risk.

(e) The Buyer undertakes that it shall ensure that any vehicle comprised in any Lot is in a roadworthy condition in accordance with the Road Vehicle (Construction and Use) Regulations 1986 and any subsequent amendments thereof or such other relevant regulations as shall from time to time be in force before using it on a public road. It is the Buyer's responsibility to remove any logos and lettering from vehicles. Odometer readings are not warranted ;

(f) The Buyer acknowledges that any item of plant, machinery or equipment contained in the Lot(s) may not necessarily comply with any statutory requirements or regulations governing the use of that plant, machinery or equipment in their working environment. Neither the Seller nor the Auctioneer shall incur any liability to the Buyer because of any default or defect in all or any of the Lots. Buyers are entirely responsible for ensuring that the use of any item of plant, machinery or equipment does not contravene any health and safety and environmental legislation in existence at the time of the Sale.

(g) The articles may be inspected at the times and place set out in the Catalogue. Each buyer (whether or not he inspects those articles which he purchases) shall be deemed to buy with notice of all defects in them.

(h) The Buyer acknowledges and agrees that the Auctioneer is acting only as agent of the Seller and it is expressly agreed and declared that no personal liability in connection with the Sale of any Lot or otherwise shall fall on the Auctioneer and the Buyer shall indemnify the Auctioneer against all and any liabilities arising under or in connection with the Sale of any Lot.

## G10 Liabilities and Indemnities

G10.1 The Auctioneer warrants that he believes that the Seller of each Lot is able to pass good title, and if the Seller is not able to do so, the Auctioneer shall use his reasonable endeavours to assist the Buyer in obtaining good title and in pursuing any remedies the Buyer might have against the Seller, but the Auctioneer shall not be bound to initiate litigation and shall not be under any other obligation to the Buyer.

G10.2 Every Lot is sold as seen and where lying. no Lot is sold as compromising or including any new goods.

G10.3 The Auctioneer neither has nor professes any expert or other knowledge of any Lot sold and is hereby excluded any liability the Auctioneer might otherwise incur and any right or immunity the Buyer might otherwise possess in respect of any conditions warranties or representations relating to the condition of any Lot sold or the merchantable quality of the Lot or its fitness for the particular or any purpose for which it is or may be required whether such conditions warranties or representations are expressed or implied in the Auction Catalogue or are the subject of oral or written statements made by or on behalf of the Auctioneer or any other person before or in the course of the Auction.

G10.4 No liability shall attach to the Auctioneer either in contract or in tort for loss, injury or damage legal or other expenses sustained by the Seller, any Bidder, the Buyer or any other person by reason of:-

(a) any defect in any Lot sold, whether or not such defect be latent or apparent on examination;

(b) any defect or danger of the premises where the Auction is held;

(c) any alleged failure of the Auctioneer to properly advertise the Auction or to seek or obtain expert legal advice with regard to any Lot offered for sale or its reserve price;

(d) any act or omission of the Auctioneer in the conduct of the Auction or after the Auction;

(e) any act or omission of any person other than the Auctioneer.

G10.5 The Seller shall indemnify the Auctioneer in respect of any claims made by another or third party for any loss injury damage or legal or other expenses referred to above

G10.6 The Auctioneer shall not be liable to indemnify the Seller or any Bidder or the Buyer in respect of any claims made by another or third party for any loss injury damage or legal or other expenses referred to in clause 10.4 above.

G10.7 In no circumstances shall the Auctioneers be liable for any consequential damage.

G10.8 Waiver No indulgence shown by the Auctioneer shall prevent the Auctioneer or the Seller from subsequently insisting upon their respective rights and remedies.



Unit 5, Midsomer Enterprise Park, Radstock Road, Bath, BA3 2BB United Kingdom

Tel: +44(0)1761 414000 Fax: +44(0)845 280 2492 Email: [info@proauction.ltd.uk](mailto:info@proauction.ltd.uk) Website: [www.proauction.ltd.uk](http://www.proauction.ltd.uk)

Company Registration no: 5059610

# SPECIAL NOTES & CONDITIONS

(to be read in conjunction with the General Conditions of Sale as approved by The Royal Institution of Chartered Surveyors)

# FOOD PROCESSING & COMMERCIAL CATERING EQUIPMENT

**VIEWING** Viewing is strictly by arrangement with the auctioneers, at various locations, on **Monday 30th July 2012**. Please visit the website to view any drawings or plans of equipment before placing bids.

**REGISTRATION** Prospective purchasers must register and obtain a buyer's number when entering the site on Sale Day in order to be a successful bidder. **A REQUIREMENT OF SUCH REGISTRATION WILL BE PHOTOGRAPHIC AND PROOF OF ABILITY TO PAY FOR POTENTIAL PURCHASES, (PASSPORT, DRIVING LICENCE).** The Auctioneers reserve the right to refuse admission.

**Persons under the age of 16 will not be allowed on site.**

**PAYMENT** All lots must be paid and cleared for before prior to removal by Cash, Banker's Draft, credit or debit card or Cheque supported by an appropriate **Banker's Letter stating that the Bank will HONOUR your cheque and the limit up to which they are willing to do so, unless otherwise agreed.**

**V.A.T.** V.A.T. will be added to sale bills at 20%. Special rules apply for sales for export – request information from the auctioneer

**BUYERS PREMIUM** Buyer's Premium of 16% plus V.A.T. will be added to purchasers bills. The Buyers Premium will relate to any sales which might take place prior to the auction, during the auction and after the auction and indeed to any Private Treaty Sales of items not included in the auction.

**DEPOSITS** The Auctioneer reserves the right to take a 25% deposit at Point of Sale. **Purchasers are reminded to leave a 25% deposit before leaving site on sale day. Payment in full must be made within 24 hours of the sale.**

**ABSENT BUYING INSTRUCTIONS** If you cannot attend the sale we will execute bids confidentially on your behalf.

**For absent bids indicate your limit for each lot, Your bids will be executed at the lowest prices allowed by reserves and other bids.**

**A buyers premium plus applicable charges & taxes, is payable on successful bids.**

**Absentee and telephone bids are accepted at your risk, and are subject to the Terms & Conditions of sale and any Special Conditions relating to the auction.**

**Please submit your bids not later than 4 hours prior to the sale commencing, you will receive confirmation of receipt. 25% deposit required on composite total of bids.**

**REMOVAL** All lots which are subject to a lift-out charge are detailed on an information sheet available from the Sale's pay office, where applicable the **charges are mandatory.** Goods to be removed from site not later than **Wednesday 8th August 2012 by 4.00pm.**

**SITE PROCEDURE** The Vendor or Pro Auctions Limited are not liable for, nor accept any responsibility for any injury, loss or damage to persons or property sustained whilst on site.

**HEALTH & SAFETY LEGISLATION AND CONSTRUCTION, DESIGN AND MANAGEMENT REGULATIONS 1994.**

Purchasers should be aware of the above and comply as appropriate, they should attend at the beginning of the auction to hear the Auctioneers opening announcements regarding formal requirements it is also important that all purchasers/contractors comply with site rules, site procedures and Health & Safety Regulations.

Purchasers are deemed to have listened to the Auctioneers opening announcements which may include amendments and/or additions to the Conditions of Sale.

Unless specifically excluded purchasers of lots will be required to make good holes or voids exposed by the removal of lots.

**HAZARDOUS MATERIALS & SUBSTANCES** If any hazardous materials or substances are to be removed or disposed of then such disposal will be the responsibility of the purchaser, but in accordance with all current Environmental Legislation and the Vendors procedures and audit requirements. Cladding taken off buildings for removal of plant & equipment will have to be replaced, unless otherwise specified by the Auctioneer.

**COMPLIANCE WITH LAWS, REGULATIONS AND PLANNING** Purchasers or their Removal Contractors are responsible for applying for relevant planning permissions (if appropriate) with reference to the removal of building structures and plant housings.

Purchasers or their Contractors shall at all times comply with all orders, regulations, requirements and rules of any authority whether Parliamentary, statutory, parochial or local and in particular shall comply with all requirements applicable to the employment by them of labour or otherwise affecting the work.

The Purchasers or their Contractors shall in addition and without prejudice to the generality of the foregoing conform to the regulations and byelaws of local authorities and shall pay all fees and charges arising under the said regulations and byelaws in respect of the Work.

**ELECTRIC CABLE/PALLETS** Electric cable and pallets are not included with the sale of any lots unless otherwise indicated.

**ORDER OF REMOVAL** Buyers should co-operate regarding order of removal in order to comply with the clearance date. If it transpires that a purchaser makes no effort to commence dismantling and the particular item of plant is preventing other buyers from removing equipment, then the Auctioneer reserves the right to insist that removal take place immediately notwithstanding the final clearance date.

If in the event the purchaser does not comply, then the Auctioneer reserves the right to arrange for the removal of the lot or lots and charge any attendant costs to the purchaser.

**INSURANCE** The Auctioneers remind prospective bidders of Condition 7 of the Conditions of Sale. Any buyers of fixed plant or their duly appointed contractors **MUST** consult with the Auctioneers duly appointed representative, prior to commencing removal. Written consent to commence dismantling will be required. It should also be noted that all dismantling contractors working on site must be insured for at least two million pounds (£2,000,000) public liability cover and proof of cover must be produced before work commences.

Lots must be insured by the purchaser from the fall of the hammer, no responsibility whatsoever will rest with the Auctioneer or Vendor in the event of any loss suffered.

The Purchaser or his Contractor will also ensure that employers liability cover in the sum of **TEN MILLION POUNDS (£10,000,000)** is in place.

**CONTENTS** All items in, under, over and around any lot in this catalogue are not included with such lot unless stated in the catalogue description or by the Auctioneer

**DOCUMENTS** The Vendors/Agents/Auctioneers reserve the right to remove any documents they may require from the lot prior to the sale or at any later date.

**SOFTWARE** Title to computer Software is not transferred and use is subject to any licence or copyright restrictions and user conditions.

The Vendors/Agents/Auctioneers reserve the right to erase any private or sensitive information prior to delivery or at any later date

**INSPECTION & CONDITION** The articles may be inspected at the times and place set out in the Catalogue. Each buyer (whether or not he inspects those articles which he purchases) shall be deemed to buy with notice of all defects in them. No buyer shall have the right to reject for any reason any articles which he may purchase. Every express or implied warranty or condition as to merchantability, condition or fitness for purpose of any of the articles is excluded.

**UNSOLD LOTS** If any lot or item is unsold and has to be dismantled & lowered to allow the removal of any other lot, then such dismantling & lowering shall be the responsibility of the purchaser of the relevant Lot(s) or Item(s).

**CONDITIONAL SALES** Please note the Auctioneer reserves the right to effect conditional sales on certain lots.

The Auctioneer reserves the right to rescind the sale of lot(s) if purchasers or their contractors fail to provide a satisfactory Method Statement in accordance with current Health & Safety Regulations (or if their transport arrangements are considered unsuitable).

**RESERVES** Where applicable, Lots will be offered subject to reserve prices.

**LOTS** with a quantity greater than 1 shall be offered on an individual basis – the highest bidder shall have the option, at the auctioneers discretion, to bid for 1 or all of the quantity available.

All sales are binding, no refunds will be permitted under any circumstances – ensure you have viewed the lot before bidding.

**WARNING**  
It is a criminal offence to form a ring at auction or to induce another to abstain from bidding.

## Pro Auction Limited

Unit 5, Midsomer Enterprise Park, Radstock Road, Bath, BA3 2BB United Kingdom  
Tel: +44(0)1761 414000 Fax: +44(0)845 280 2492 Email: [info@proauction.ltd.uk](mailto:info@proauction.ltd.uk) Website: [www.proauction.ltd.uk](http://www.proauction.ltd.uk)

Company Registration no: 5059610



# CATALOGUE LISTING



**Please note all capacities, dimensions and dates of manufacture are approximate and potential purchasers should make their own inspection for verification.**

Please visit the website to view any drawings or plans of equipment before placing bids.

**MANNER OF OFFERING** In order to assist prospective purchasers the plant has been broken down into individual lots for identification purposes. The auctioneer has absolute discretion regarding the offering of the lots and may offer lots as a group or consolidated lots, but where possible prospective purchasers wishing to bid for individual lots will be accommodated.

LOT NO.	DESCRIPTION	NOTES
1	Industrial Washing Machines Ltd Crusader tray washer sustained jetting with hot water and detergent, re-circulated from a heated wash tank, powered by a 3kW pump solenoid controlled fresh rinse (from mains) 100 - 400 containers per hour	
2	Ilapak Carrera 500m flow wrapper mechanical HFFS machine with rotary sealing jaws single main AC motor (0,75 kW) with frequency inverter speed control machine speed adjustable via potentiometer. two speed infeed, with manual gear change up to 100 cpm, single jaw production output dependent upon product and film	
3	Turbo depositor GEI MULTI 5 (2001) five head depositor over neoprene belt conveyer used to fill confection	
4	Becketts EXCALIBUR horizontal band slicer variable speed conveyor and blade fully interlocked safety guards stainless steel fabrication conveyor width 500mm head position is adjustable for product	
5	Ilapak Delta 2000B flow wrapper / horizontal MAP long-dwell sealing head to optimize sealing cycle 3 ac motors to control infeed, rollers, jaws (additional motors with automatic feeders) user friendly 6" colour VGA touch screen operator interface with intuitive icons 64 programs automatic product size change integrated temperature control electronic diagnostics on-board, no product / no bag misplaced product detection system ports for peripheral units (printer, labelers, gas control, etc) programming via at compatible keyboard single film reel mounting with self-centering cones, right hand version, 3 m long infeed, standard robust, hygienic, easy to clean design, stainless steel finish fully refurbished in 2006 including new MIDAS control screen with all s/s contact parts (s/n 541)	
6	Blue Bird Hawk compact floor standing L sealer with easy roll film change single phase 240v seal area is 33cm x 33cm	
7	Blue Bird Hawk compact floor standing L sealer with easy roll film change single phase 240v seal area is 33cm x 33cm	
8	Bear RN20 FS - 20 Litre floor standing Varimixer with the new Vari-logic 2 panel that combines the requirement for at fixed speed mixer with the convenience of a variable speed mixer capacity: 20 litres stainless steel and fully guarded with bowl and tooling motor 1.2 kw volts: 230v, 1 phase speed: min 98 max 375 revs dimensions: 566 x 720 x 1286 mm YOM 2009 (s/n 20009399)	
9	Bear Varimixer AR60 floor standing planetary mixer 60 ltr capacity with bowl and tooling fully guarded 3 phase 1996	
10	Glimek MO-881 heavy duty long dough moulder for use in an industrial or medium-sized bakery via the triple moulding head, curling net and double pressure boards the desired dough piece length and shape with almost seamless closure is obtained capacity range up to 3600 dough pieces/hour weight range 30-1800 grams working width up to 650 mm power 1,1 kW 3N 400V YOM 2008 dimensions 2960mm x 900mm x 1540mm (+ hopper) (s/n 419)	
11	Stainless steel HUS-IM80-C-DO ice maker 80kg/24 ice maker with water filter 980mm x 675mm x 570mm brand new	
12	Gastroline stainless steel double door upright fridge 1200 litre capacity auto defrost stainless steel build door lock & castors as standard temperature range -2/+8 brand new boxed unit 1340mm x 800mm x 2010mm	
13	Gastroline stainless steel double door upright fridge 1200 litre capacity auto defrost stainless steel build door lock & castors as standard temperature range -2/+8 brand new boxed unit 1340mm x 800mm x 2010mm	
14	Valentine Maxi PDI94 21Kw twin basket single tank fryer with filtration systems 57/68kg chips/hr 28 litre oil capacity 600mm x 580mm x 900mm (s/n 262A171L92)	
15	Valentine Maxi PE94 21Kw twin basket single tank fryer with filtration systems 57/68kg chips/hr 28 litre oil capacity 600mm x 580mm x 900mm (s/n 242A170F92)	



LOT NO.	DESCRIPTION	NOTES
16	Lincat J18-A005 twin basket twin tank fryer 52/60kg chip/hr 9 kW x 2 oil capacity: 2 x 9 litres 600mm x 600mm x 970mm	
17	Hobart HEF477 9000w fryer with filter (s/n DR0913035)	
18	Stainless steel HUS-IM80-C-DO ice maker 80kg/24 ice maker with water filter 980mm x 675mm x 570mm brand new	
19	Winterhalter GS501 pass through dishwasher capacity in racks/hr 40/24 tank temperature °C 60 boiler temperature °C 85 nominal operating voltage (50 hz) v 415 total connected load in kw 9.1 / 15.1 fresh water requirement per cycle in l 3.2 635mm x 749mm x 1420mm input height in mm 420 +/- 5 mm rack dimensions in mm 500 x 500	
20	Bibey Salad bar model BB-SB-C4 refrigerated display counter salad bar Quattro refrigerated mobile buffet 1500mm	
21	Williams Thermowell TW15 7 x 1/3gn pans topping unit refrigerated topping unit maximum depth 100mm (containers not included) finish; stainless steel interior and exterior supplied with hinged lid - with adjustable temperature range +4/+8'c 1510mm x 375mm x 241mm	
22	Williams Thermowell TW15 7 x 1/3gn pans topping unit refrigerated topping unit maximum depth 100mm (containers not included) finish; stainless steel interior and exterior supplied with hinged lid - with adjustable temperature range +4/+8'c 1510mm x 375mm x 241mm	
23	Insulated Food Delivery Bag Pizza / food delivery bag vinyl x 10	
24	Insulated Food Delivery Bag Pizza / food delivery bag vinyl x 10	
25	Corema Telme Euromix 120 W pasturiser water cooled 15-120 litre production per cycle rapid pasteurisation cycle 16kW 3 phase power all stainless steel construction (02/19)	
26	Production operator chairs	
27	AGResearch fat analyser	
28	Brinkman mobile hot wax dip tank 1100mm x 640mm x approx. 800mm deep electric 400v	
29	Butcher Boy AU56 auto feed grinder 56 mincer head YOM (s/n S120R)	
30	Butcher boy model A52 HSKE meat mincer throughput 1600kg/h 10HP 7.5kW	
31	Diosna large heavy duty kneader 200ltr mixer (ideal for sausage or kebab meat)	
32	Femi water sharpening stone type 177 wheel 200mm x 40mm 120rpm (s/n 8-13-22-21)	
33	Grote 522 pendulum slicer has a 22" cutting width. thickness is 3/8" to 0"	
34	Large quantity of Kentmaster band saw blades	
35	Large quantity of derinder blades	
36	Marel M2000/A20 portioning machine single lane max cut rate: 2 cuts per second under normal operation but can go as fast as 5 cuts per second 480-3 phase 300mm wide belt air pressure: 5.5 bar (s/n 5689)	
37	Micro 4000 MLS carcass scale (s/n 4242)	
38	Packer Systems 202CE/2 semi automatic strapping machine 12mm x 0.55mm strap	
39	Stainless steel 3ft drying unit for shrink bags on stainless steel roller conveyer	
40	Technitrans Pro Seal Top 180 table top tray sealer with 2 x die sets welding capacity 250 x 230 mm film width: 240 mm reel diameter: 200 mm. power 1000 watts supply voltage 230 v (1 phase + ground plug)	
41	William Prym Holding GmbH bag press fastener model 121LD 240v with foot pedal controls	
42	William Prym Holding GmbH bag press fastener model 121LD 240v with foot pedal controls	
43	Biro 52 stainless steel mincer 5Hp 3 phase stainless steel pan	
44	Bigger and johnson Sheerline filler L20 sausage filler 45lb capacity single phase	
45	Robot Coupe CL60 motor base unit only	
46	Al Tech model Alritma M high performance high precision label applicator	
47	Ascoli Ham Boiler - AF75 water cooker ham boiler ham boiler inner pan dimensions 440mm x 690mm x 400mm ham boiler capacity per cook 10 hams (121lts) ham boiler power 3kw (1 phase) external dimensions 920mm x 610mm x 960mm	
48	Omega AM 250 10inch meat slicer diameter of the blade mm 250 motor Kw (hp) 0,22 (0,30) carriage stroke mm 290 cut mm 200 cut mm 190 x 260 cut thickness mm 0/15	



LOT NO.	DESCRIPTION	NOTES
49	Wraps UK Combo 55 chamber shrink wrapping machine max. 300 p/min can wrap a product up to 420 x 550 mm	
50	Euro flow stainless steel single shot depositer on mobile frame with foot pedal control (s/n 20473)	
51	Falcon G2994 Chieftain heavy duty gas bratt pan manually operated tilting mechanism heavy duty, hinged cast iron pan pan size: 800mm (w) x 530mm (d) x 140mm (h) oil capacity: 21 litres water capacity: 32 litres 3 amp/230v electrical supply required gas rating: 60,000 btu/hr 900mm x 770mm x 870mm	
52	Graef VA300- V22 fully automatic slicer with stack and shingle full program facility 860mm x 640mm x 500mm 500 W 230 V single phase	
53	Bizerba GS in line weigh price labeler 120 loads per min (s/n 02186136) with AD printer head	
54	Avery Berkel FX220 15kg scales	
55	Cook in the Box CB5A 1200F tray sealer setw ith compartment die for tray 220mm x 170mm x 60mm deep	
56	2 x pallets of base web thermoform film 350mm wide and 430mm wide 0.200mm x 431mm	
57	Manitowoc QR0210A automatic ice machine choice of 3 cube sizes production up to 100kg per 24 hours bin storage of 36kg 660mm x 673mm x 978mm	
58	Follett Ice Flaker 600kg model WCF712A produces 600 Kg per hour hopper holds 300 Kg	
59	Cook in the Box CB5A 1200F tray sealer setw ith compartment die for tray 220mm x 170mm x 60mm deep (suitable as spares)	
60	Hotpoint Aquarius FDW20 freestanding a rated 12 place setting dishwasher with automatic program function 600mm x 600mm x 850mm	
61	Hotpoint Aquarius FDW20 freestanding a rated 12 place setting dishwasher with automatic program function 600mm x 600mm x 850mm	
62	IARP AB400PV upright refrigerator 256ltr volume capacity 0 / 7°C 645mm x 665mm x 1960mm	
63	Rexel Auto 250 office shredder confetti cross cut 40 Litre DIN 3 4x50mm 250x 80gsm	
64	BUNN SRU A 11.4ltr Bulk Coffee Brewer (06325.0016) brewing capacity of 43.2 litres of coffee per hour large water tank of 37.9 litres draw off hot water during brew cycle without affecting delivery of coffee all stainless steel construction can brew full and half batches comes with premium safety features as standard easy to keep clean electrical loading: 6.kw 26.5a 240v 356mm x 597mm x 851mm	
65	Bosch freestanding dishwasher 12 place setting with automatic program control	
66	Whirlpool Dishwasher ADP 659WH Freestanding Dishwasher 5 program 10 place settings 3/6/9hr Start delay program status indicators salt & rinse aid indicators 13ltrs AAA 52 dB	
67	Bravilor Bonamat B20 HW Bulk Brewer commercial bulk brew machine output coffee 90 litres / 720 cups per hour output hot water 20 litres brewing time 14mins holding capacity coffee 2 x 20 litres holding capacity hot water 4.6 litres size (h x w x d) 947 x 1173 x 600mm power 400v 3n~ 50/60hz 11440w	
68	True TUC-27 solid door stainless steel under counter refrigerator 6.5 Cu. Ft / 185 liters capacity 2 shelves temperature range .5°C / 3.3°C brand new unit with castors 702mm x 766mm x 756mm	
69	Zanussi Professional ZCBDE8 twin deck pizza oven electric digital control 4 x 2 300mm capacity pizzas interior dimensions per chamber 620mm x 620mm x 160mm exterior dimensions 1015mm x 860mm x 795mm power 8.4kW 3 + N 400 V 50Hz complete with static base unit (s/n V24SC2020006)	
70	Carrier Beverage-Air MT10-1 commercial refrigerator drinks merchandiser 600mm x 610mm x 1400mm	
71	Harlow Group K365 - K9109434K Klix hot drinks vending machine 630mm x 700mm x 1830mm	
72	Coolzone white uundercounter fridge 66 litre capacity 475mm x 525mm x 850mm	
73	Scana MSC DCC01G15 compact postal x-ray cabinet for checking bundles of letters, documents and small packages	

LOT NO.	DESCRIPTION	NOTES
74	Beko D2731FW white 10 place setting dishwasher	
75	Artica upright freezer single door 17.9 cuft 508 litres capacity (17.9cu ft) white abs interior temperature range: -18°C to -22°C 700mm x 730mm x 1800mm	
76	LEC R250 CW Fridge capacity 74 litres	
77	Iceline L476 under counter refrigerator 105 litre capacity adjustable thermostat defrost function and internal light 500mm x 540mm	
78	Frigidaire under counter fridge – white fridge capacity: 4.3 cu.ft 118 litre energy rating: a auto defrost 545mm x 570mm x 845mm	
79	Hotpoint SDW60 polar white slim dishwasher 9 place settings 6 programs 5 temperature setting 40 minute quick wash 12 hour delayed start option. 450mm x 600mm x 850mm	
80	Stainless steel clearing station with chute for rubbish with upstand / backsplash and castors 2400mm x 500mm x 1350mm	
81	Kalmar 4000mm max. lift height duplex mast 1200mm fork length 4700mm table length 1400mm table width 4000kg capacity diesel power automatic transmission pneumatic tyres and heated cab	
82	Mitsubishi 2500kg LPG counter balance forklift duplex clear viewmast 3500mm max lift	
83	Teca Print pad printing machine	
84	Teca Print pad printing machine	
85	Garners plate warmer THN MS280 (106201)	
86	Falcon Eloma Genius Touch GGT1011 Combination Oven 10 x 1-1 grid +1, 2 ¾ BSP water supply gas rating 68,200 btu/hr electric 1kW supply: 230V~ (13A) fitted LPG & electric YOM 2007	
87	Falcon E2512 commercial electric dominator grill power 5.65 kw five position shelf runners reversible, close-ribbed, aluminium brander brander size: 460mm (w) x 410mm (d) double-cased with internal insulation removeable drip tray 700mm x 540mm x 500mm electric YOM 2007	
88	Falcon E1860 twin basket electric fryer output 5.2kw power single phase finish stainless steel stainless steel hob with mild steel pan basket size: 190mm (w) x 285mm (d) x 135mm (h) integral dust and debris cover supplied safety thermostat tinned steel baskets oil capacity: 36 litres chip output: 50kg per hour power supply: 400 - 415 volts 3 phase & neutral. rating: 19.2 kws 785mm x 330mm x 325mm YOM 2007	
89	Falcon Dominator E2101 four hotplate electric range easy to clean, stainless steel finish.two rectangular and two fast heating circular hotplates. oven size: 700mm (w) x 535mm (d) x 430mm (h) oven capacity: 0.16 cubic metres. five position, 2 shelf cooking. supplied with two nickel plated shelves useable oven capacity: 700(w) x 535(d) x 430(h)mm. oven shelf size: 700 x 535mm. 870mm x 900mm x 850mm YOM 2007	
90	Electrolux 20 grid combination oven electric & LPG dry hot convection cycle 25°C to 300°C ideal for low humidity baking · low temperature steam cycle 25°C to 994°C ideal for sousvide (vacuum packed) re-thermalisation and delicate cooking steam cycle 100°C seafood and vegetables · high temperature steam 1005°C 130°C combination cycle 25°C to 250°C combining convected heat and steam to obtain humidity controlled cooking environment, accelerating the cooking process and reducing weight loss hold function provides an impulse ventilation ideal for holding and light pastry · variable fan speed radial fan · reduced power cycle automatic and built in self cleaning system (4automatic and 1 semiautomatic cycles) simple sensor core temperature probe included model a052026v6g (71300001)	
91	Electrolux WT30E frontloading dishwasher 500mm square basket integral rinse & detergent dispenser integral drain & rinse pump 2 minute cycle hot or cold fill 6.58kw single phase supply 600mm x 600mm x 850mm YOM 2007	
92	Electrolux WT30E frontloading dishwasher 500mm square basket integral rinse & detergent dispenser integral drain & rinse pump 2 minute cycle hot or cold fill 6.58kw single phase supply 600mm x 600mm x 850mm YOM 2007	

LOT NO.	DESCRIPTION	NOTES
93	Electrolux 20 grid combination oven electric & LPG dry hot convection cycle 25°C to 300°C ideal for low humidity baking · low temperature steam cycle 25°C to 994°C ideal for sousvide (vacuum packed) re-thermalisation and delicate cooking steam cycle 100°C seafood and vegetables · high temperature steam 1005°C 130°C combination cycle 25°C to 250°C combining convected heat and steam to obtain humidity controlled cooking environment, accelerating the cooking process and reducing weight loss hold function provides an impulse ventilation ideal for holding and light pastry · variable fan speed radial fan · reduced power cycle automatic and built in self cleaning system (4automatic and 1 semiautomatic cycles) simple sensor core temperature probe included a052026v6g (71300001)	
94	DIHR HT11 hood type dishwasher double tank, filter & pump filter, washing cycles 60/120 sec basket size 500 x 500mm temp: 50°C, output: approx 60 racks per hour total power: 13.12kw voltage: 400v - 3 phase + neutral wash pump: 1.1kw wash tank: 35lt 720mm x 735mm x 1470mm	
95	Hobart HSM20-B1E stainless steel 20 litre/ 20 quart bench planetary mixer power - 37kw voltage - 240/50/1 fuse - 15 amp variable speed gearbox quart capacity - 20 litre 450mm x 497mm x 805mm YOM 2007	
96	Scanfrost Caravell CFS 1401 double door freezer 304 grade stainless steel interior flush fitted door locks mounted on soft castors, front astors are lockable digital temperature controller and display gn 2/1 shelves shelves are fitted on shelf slides door can remain open at 110° for easy loading and unloading integrated door handles capacity 49.4 (1400 litre) temperature range -18/-24°C 8 1420mm x 800mm x 2000mm YOM 2007	
97	Scanfrost Caravell CFS 1401 double door fridge 304 grade stainless steel interior flush fitted door locks mounted on soft castors, front astors are lockable digital temperature controller and display gn 2/1 shelves shelves are fitted on shelf slides door can remain open at 110°C for easy loading and unloading integrated door handles capacity 49.4 (1400 litre) temperature range -2/+8°C 1420mm x 800mm x 2000mm YOM 2007	
98	Falcon Eloma GGT611 genius steam combi oven climatic, variable combinations of temperature and humidity as part of cooking modes colour monitor with on-screen menu prompting genius one-hand operation program storage, 300 programs variable program libraries SPS = steam protection system serial interface multipoint core temperature measuring interior illumination grease filter hand shower capacity: 6 x 1/1 gastronorm trays/pans LPG + electric 925mm x 880mm x 980mm YOM 2007	
99	Electrolux 20 grid combination oven electric & LPG dry hot convection cycle 25°C to 300°C ideal for low humidity baking · low temperature steam cycle 25°C to 994°C ideal for sousvide (vacuum packed) re-thermalisation and delicate cooking steam cycle 100°C seafood and vegetables · high temperature steam 1005°C 130°C combination cycle 25°C to 250°C combining convected heat and steam to obtain humidity controlled cooking environment, accelerating the cooking process and reducing weight loss hold function provides an impulse ventilation ideal for holding and light pastry · variable fan speed radial fan · reduced power cycle automatic and built in self cleaning system (4automatic and 1 semiautomatic cycles) simple sensor core temperature probe included a052026v6g (71300001)	
100	Rational 10 x 1/1 GN or 20 x 1/2 GN. LPG electric combi oven to take 10 x 1/1 gn or 20 x 1/2 gn easy to operate combi oven from the market leader in combination cooking five cooking modes selected using only one knob steam 100°C moist heat mode is ideal for blanching, boiling, steaming, simmering und soaking hot air 30°C-300°C dry heat is best suited to roasting, grilling, gratinating or baking combination of steam and hot air 30-300°C the combination of moist heat and dry heat prevents food drying out, minimises cooking shrinkage and at the same time ensures even browning vario-steaming 30°C-99°C gentle cooking below 100°C with maximum steam saturation. effortlessly successful, even for large quantities of extremely sensitive foods such as crème caramel, vegetable flans, delicate fish or mousselines model scc101g (g11se08052141813)	
101	Costan Ouverture 8ft multi deck display fridge chiller 8 x shelves plus base shelf, lights to top and sides, glass ends twin air curtain and digital display 2.5m cavern	
102	Koxka C1-19 6ft low energy multideck 1880 mm wide manual night blind 4 rows of height and gradient adjustable shelves (0°/10°/20°) 450mm shelf depth tek electronic control with temperature display solid end panel with mirrored interior canopy lighting removable condensing unit for easy cleaning designed to ensure rapid evaporation of condensation temperature range -1 to +5°C 1880mm x 850mm x 2015mm 1.9m cavern	





LOT NO.	DESCRIPTION	NOTES
115	Williams Refrigeration Garnet range HG2 TSA stainless steel high performance gastronorm two door upright cabinet energy saving controller ensures excellent temperature control and easy-to-manage operation self-closing doors fitted with easy to clean, replaceable magnetic balloon gaskets removable racking and nylon coated shelving capacity1288 ltrs / 45.5 cu.ft temperature range +1/+4°C 1400mm x 824mm x 1960mm (s/n 0004240888)	
116	Williams Refrigeration Garnet range FG2 TSS stainless steel high performance gastronorm two door upright cabinet energy saving controller ensures excellent temperature control and easy-to-manage operation self-closing doors fitted with easy to clean, replaceable magnetic balloon gaskets removable racking and nylon coated shelving capacity1288 ltrs / 45.5 cu.ft temperature range FG2 -2/+2°C 1400mm x 824mm x 1960mm	
117	Williams Refrigeration Garnet range FG2 TSS stainless steel high performance gastronorm two door upright cabinet energy saving controller ensures excellent temperature control and easy-to-manage operation self-closing doors fitted with easy to clean, replaceable magnetic balloon gaskets removable racking and nylon coated shelving capacity1288 ltrs / 45.5 cu.ft temperature range FG2 -2/+2°C 1400mm x 824mm x 1960mm (s/n 0803521249)	
118	Williams Refrigeration Garnet range FG2 TSS stainless steel high performance gastronorm two door upright cabinet energy saving controller ensures excellent temperature control and easy-to-manage operation self-closing doors fitted with easy to clean, replaceable magnetic balloon gaskets removable racking and nylon coated shelving capacity1288 ltrs / 45.5 cu.ft temperature range FG2 -2/+2°C 1400mm x 824mm x 1960mm (s/n 0401373481)	
119	Williams Refrigeration Garnet range FG2 TSS stainless steel high performance gastronorm two door upright cabinet energy saving controller ensures excellent temperature control and easy-to-manage operation self-closing doors fitted with easy to clean, replaceable magnetic balloon gaskets removable racking and nylon coated shelving capacity1288 ltrs / 45.5 cu.ft temperature range FG2 -2/+2°C 1400mm x 824mm x 1960mm (s/n 0110296271)	
120	Williams Refrigeration Garnet range MG2 TSA stainless steel high performance gastronorm two door upright cabinet energy saving controller ensures excellent temperature control and easy-to-manage operation self-closing doors fitted with easy to clean, replaceable magnetic balloon gaskets removable racking and nylon coated shelving capacity1288 ltrs / 45.5 cu.ft temperature range 2/+2°C 1400mm x 824mm x 1960mm (s/n 0612442684)	
121	Elliott portable building tyoe A21 / 10C011REBC building size 12m x 3.6m / 40` x 12` (ft): approx internal floor area (sq.m): 43.2 ceiling height 2.3m weight 3200kg stackable unit open plan with utility supply, plumbing and 1 air conditioning unit (s/n 1J029) a lift out charge will apply to this lot or the buyer may submit method statement for removal	
122	Elliott portable building tyoe A21 / 10C011REBC building size 12m x 3.6m / 40` x 12` (ft): approx internal floor area (sq.m): 43.2 ceiling height 2.3m weight 3200kg stackable unit open plan with utility supply, plumbing and 3 x air conditioning unit (s/n 1J028) a lift out charge will apply to this lot or the buyer may submit method statement for removal	
123	Accomodating Cabins Ltd portable building type 8550 JO building size 14.4m x 3.6m x 2.6m 47` x 10` (ft): approx internal floor area (sq.m): 43.6 ceiling height 2.3m weight 4200kg stackable unit open plan with utility supply, plumbing and air conditioning units a lift out charge will apply to this lot or the buyer may submit method statement for removal	
124	3 x MGB Sulo 1100ltr mobile wheel bins	
125	3 x MGB Sulo 1100ltr mobile wheel bins	
126	3 x MGB Sulo 1100ltr mobile wheel bins	
127	5108308 American Range AR-2RB 24in gas radiant broiler w/ range oven 87000 BTU thermostat control from 150°F to 500°F.	
128	5108654 True TPP 60-D2 refrigerated prep counter with drawers refrigerated drawers offer complete flexibility stainless steel exterior temperature range +0.5/+5°C 820mm x 1068mm x 1531mm	
129	5108619 Gastroline FZU 10-48 upright storage freezer stainless steel 600 litre capacity auto defrost stainless steel build door lock & castors as standard temp range -18/-22°C brand new boxed unit with manufacturers warranty 680mm x 810mm x 2010mm	
130	5108876 Afinox APX300 fish fridge stainless steel capacity 300 litre temperature range -2/7°C standard internal fitting: 6 fish containers 400 x 600 x 130mm with false bottom on stainless runners all stainless interior brand new boxed unit with manufacturers warranty580mm x 771mm x 1640mm	
131	5108618 Upright stainless steel CK23FZ upright cabinet single door freezer stainless steel Capacity 23 cu ft / 650 Litres Temperature Range -18/-23°C 2000mm x 829mm x 739mm	



LOT NO.	DESCRIPTION	NOTES
132	5108618 Upright stainless steel CK23FZ upright cabinet single door freezer stainless steel Capacity 23 cu ft / 650 Litres Temperature Range -18/-23°C 2000mm x 829mm x 739mm	
133	5108618 Upright stainless steel CK23FZ upright cabinet single door freezer stainless steel Capacity 23 cu ft / 650 Litres Temperature Range -18/-23°C 2000mm x 829mm x 739mm	
134	5108618 Upright stainless steel CK23FZ upright cabinet single door freezer stainless steel Capacity 23 cu ft / 650 Litres Temperature Range -18/-23°C 2000mm x 829mm x 739mm	
135	5108618 Upright stainless steel CK23FZ upright cabinet single door freezer stainless steel Capacity 23 cu ft / 650 Litres Temperature Range -18/-23°C 2000mm x 829mm x 739mm	
136	5108618 Upright stainless steel CK23FZ upright cabinet single door freezer stainless steel Capacity 23 cu ft / 650 Litres Temperature Range -18/-23°C 2000mm x 829mm x 739mm	
137	5108618 Upright stainless steel CK23FZ upright cabinet single door freezer stainless steel Capacity 23 cu ft / 650 Litres Temperature Range -18/-23°C 2000mm x 829mm x 739mm	
138	5108618 Upright stainless steel CK23FZ upright cabinet single door freezer stainless steel Capacity 23 cu ft / 650 Litres Temperature Range -18/-23°C 2000mm x 829mm x 739mm	
139	5108618 Upright stainless steel CK23FZ upright cabinet single door freezer stainless steel Capacity 23 cu ft / 650 Litres Temperature Range -18/-23°C 2000mm x 829mm x 739mm	
140	5108618 Upright stainless steel CK23FZ upright cabinet single door freezer stainless steel Capacity 23 cu ft / 650 Litres Temperature Range -18/-23°C 2000mm x 829mm x 739mm	
141	5108618 Upright stainless steel CK23FZ upright cabinet single door freezer stainless steel Capacity 23 cu ft / 650 Litres Temperature Range -18/-23°C 2000mm x 829mm x 739mm	
142	5108618 Upright stainless steel CK23FZ upright cabinet single door freezer stainless steel Capacity 23 cu ft / 650 Litres Temperature Range -18/-23°C 2000mm x 829mm x 739mm	
143	5108618 Upright stainless steel CK23FZ upright cabinet single door freezer stainless steel Capacity 23 cu ft / 650 Litres Temperature Range -18/-23°C 2000mm x 829mm x 739mm	
144	5108618 Upright stainless steel CK23FZ upright cabinet single door freezer stainless steel Capacity 23 cu ft / 650 Litres Temperature Range -18/-23°C 2000mm x 829mm x 739mm	
145	5108618 Upright stainless steel CK23FZ upright cabinet single door freezer stainless steel Capacity 23 cu ft / 650 Litres Temperature Range -18/-23°C 2000mm x 829mm x 739mm	
146	5108618 Upright stainless steel CK23FZ upright cabinet single door freezer stainless steel Capacity 23 cu ft / 650 Litres Temperature Range -18/-23°C 2000mm x 829mm x 739mm	
147	5108618 Upright stainless steel CK23FZ upright cabinet single door freezer stainless steel Capacity 23 cu ft / 650 Litres Temperature Range -18/-23°C 2000mm x 829mm x 739mm	
148	5108618 Upright stainless steel CK23FZ upright cabinet single door freezer stainless steel Capacity 23 cu ft / 650 Litres Temperature Range -18/-23°C 2000mm x 829mm x 739mm	
149	5108618 Upright stainless steel CK23FZ upright cabinet single door freezer stainless steel Capacity 23 cu ft / 650 Litres Temperature Range -18/-23°C 2000mm x 829mm x 739mm	
150	5108618 Upright stainless steel CK23FZ upright cabinet single door freezer stainless steel Capacity 23 cu ft / 650 Litres Temperature Range -18/-23°C 2000mm x 829mm x 739mm	
151	5108618 Upright stainless steel CK23FZ upright cabinet single door freezer stainless steel Capacity 23 cu ft / 650 Litres Temperature Range -18/-23°C 2000mm x 829mm x 739mm	
152	5108618 Upright stainless steel CK23FZ upright cabinet single door freezer stainless steel Capacity 23 cu ft / 650 Litres Temperature Range -18/-23°C 2000mm x 829mm x 739mm	
153	5108630 Tefcold SC85 compact wine cooler display light adjustable shelves tinted glass holds up to 25 x 750ml bottles temperature range 0/+10°C 565mm x 780mm x 506mm	
154	5108630 Tefcold SC85 compact wine cooler display light adjustable shelves tinted glass holds up to 25 x 750ml bottles temperature range 0/+10°C 565mm x 780mm x 506mm	
155	5108630 Tefcold SC85 compact wine cooler display light adjustable shelves tinted glass holds up to 25 x 750ml bottles temperature range 0/+10°C 565mm x 780mm x 506mm	
156	5108661 True TSSU-60-16D-2 - 61` Sandwich/Salad Prep Table w/ Drawers prep counter with drawers 15.5 cu.ft / 439 litres stainless steel with 16 pans top temperature range +0.5/+5°C brand new unit with castors & manufacturers warranty 766mm x 1093mm x 1534mm	

LOT NO.	DESCRIPTION	NOTES
157	5108611 True Gastronorm Freezer CounterTGU3F stainless steel 3 door 9 shelves automatic defrost system temperature -23.3°C brand new unit with castors & manufacturers warranty 1880mm x 712mm x 864mm	
158	5108615 estfrost upright storage freezer white auto defrost external temperature display -16/-25°C freezer door lock 12.8cu ft cooler 600mm x 595mm x 1860mm brand new unit, unused & boxed	
159	5108741 TRUE GDM9E glass door merchandiser slide two door three shelf undercounter refrigerator / bottle cooler temperature range 0.5°C to 3.3°C 913mm x 532mm x 902mm	
160	5108741 TRUE GDM9E glass door merchandiser slide two door three shelf undercounter refrigerator / bottle cooler temperature range 0.5°C to 3.3°C 913mm x 532mm x 902mm	
161	5108668 True TUC-27 solid door stainless steel under counter refrigerator 6.5 cu. ft / 185 liters capacity 2 shelves temperature range .5°C / 3.3°C brand new unit with castors & manufacturers warranty 702mm x 766mm x 756mm	
162	5108673 Gastroline GN3100RF 3 Door St / Steel Refrigerated Prep Counter 509 litre 3 solid door undercounter refrigerator fully s/steel interior and exterior electronic thermostat ventilated cooling system frost free temperature range 0°C ~ 10°C self closing swing doors adjustable shelves brand new boxed unit with manufacturers warranty 1955mm x 700mm x 850mm	
163	5108481 Commercial utensil sink stainless steel 2 bowl commercial sink 1900w RHD 1900mm x 700mm x 860mm	
164	5108481 Commercial utensil sink stainless steel 2 bowl commercial sink 1900w RHD 1900mm x 700mm x 860mm	
165	5108481 Commercial utensil sink stainless steel 2 bowl commercial sink 1900w RHD 1900mm x 700mm x 860mm	
166	5108481 Commercial utensil sink stainless steel 2 bowl commercial sink 1900w RHD 1900mm x 700mm x 860mm	
167	5108607 Under counter freezer stainless steel under counter freezer LD120S static cooling digital temperature control -18/-24°C freezer door lock 595mm x 845mm x 595mm brand new unused item	
168	5108607 Under counter freezer stainless steel under counter freezer LD120S static cooling digital temperature control -18/-24°C freezer door lock 595mm x 845mm x 595mm brand new unused item	
169	5108607 Under counter freezer stainless steel under counter freezer LD120S static cooling digital temperature control -18/-24°C freezer door lock 595mm x 845mm x 595mm brand new unused item	
170	5108607 Under counter freezer stainless steel under counter freezer LD120S static cooling digital temperature control -18/-24°C freezer door lock 595mm x 845mm x 595mm brand new unused item	
171	5108607 Under counter freezer stainless steel under counter freezer LD120S static cooling digital temperature control -18/-24°C freezer door lock 595mm x 845mm x 595mm brand new unused item	
172	5108481 Commercial utensil sink stainless steel 2 bowl commercial sink 1900w RHD 1900mm x 700mm x 860mm	
173	5108481 Commercial utensil sink stainless steel 2 bowl commercial sink 1900w RHD 1900mm x 700mm x 860mm	
174	5108481 Commercial utensil sink stainless steel 2 bowl commercial sink 1900w RHD 1900mm x 700mm x 860mm	
175	5108481 Commercial utensil sink stainless steel 2 bowl commercial sink 1900w RHD 1900mm x 700mm x 860mm	
176	5108633 Gamko MG-250G glass hinged door bottle cooler maxi glass capacity: 250l 218 or 295 x 330ml bottle capacity temp. range (°C): +3/+9 920mm x 514mm x 900mm	
177	5108088 Gastroline upright storage freezer stainless steel 49 cu ft takes 2/1 gastronorm containers +43 ambient stainless steel inside & out temp -18/-23°C 49 cu ft capacity 829mm x 2000mm x 1395mm	
178	5108088 Gastroline upright storage freezer stainless steel 49 cu ft takes 2/1 gastronorm containers +43 ambient stainless steel inside & out temp -18/-23°C 49 cu ft capacity 829mm x 2000mm x 1395mm	



LOT NO.	DESCRIPTION	NOTES
179	5108088 Gastroline upright storage freezer stainless steel 49 cu ft takes 2/1 gastronorm containers +43 ambient stainless steel inside & out temp -18/-23°C 49 cu ft capacity 829mm x 2000mm x 1395mm	
180	5108088 Gastroline upright storage freezer stainless steel 49 cu ft takes 2/1 gastronorm containers +43 ambient stainless steel inside & out temp -18/-23°C 49 cu ft capacity 829mm x 2000mm x 1395mm	
181	5108088 Gastroline upright storage freezer stainless steel 49 cu ft takes 2/1 gastronorm containers +43 ambient stainless steel inside & out temp -18/-23°C 49 cu ft capacity 829mm x 2000mm x 1395mm	
182	5108608 undercounter freezer white static cooling digital temperature control temperature range -18/-24°C door lock easy clean abs interior 600mm x 585mm x 850mm brand new unit, unused & boxed	
183	5108608 undercounter freezer white static cooling digital temperature control temperature range -18/-24°C door lock easy clean abs interior 600mm x 585mm x 850mm brand new unit, unused & boxed	
184	5108608 undercounter freezer white static cooling digital temperature control temperature range -18/-24°C door lock easy clean abs interior 600mm x 585mm x 850mm brand new unit, unused & boxed	
185	5108608 undercounter freezer white static cooling digital temperature control temperature range -18/-24°C door lock easy clean abs interior 600mm x 585mm x 850mm brand new unit, unused & boxed	
186	5108608 undercounter freezer white static cooling digital temperature control temperature range -18/-24°C door lock easy clean abs interior 600mm x 585mm x 850mm brand new unit, unused & boxed	
187	5108608 undercounter freezer white static cooling digital temperature control temperature range -18/-24°C door lock easy clean abs interior 600mm x 585mm x 850mm brand new unit, unused & boxed	
188	5108608 undercounter freezer white static cooling digital temperature control temperature range -18/-24°C door lock easy clean abs interior 600mm x 585mm x 850mm brand new unit, unused & boxed	
189	5108608 undercounter freezer white static cooling digital temperature control temperature range -18/-24°C door lock easy clean abs interior 600mm x 585mm x 850mm brand new unit, unused & boxed	
190	5108608 undercounter freezer white static cooling digital temperature control temperature range -18/-24°C door lock easy clean abs interior 600mm x 585mm x 850mm brand new unit, unused & boxed	
191	5108608 undercounter freezer white static cooling digital temperature control temperature range -18/-24°C door lock easy clean abs interior 600mm x 585mm x 850mm brand new unit, unused & boxed	
192	5108608 undercounter freezer white static cooling digital temperature control temperature range -18/-24°C door lock easy clean abs interior 600mm x 585mm x 850mm brand new unit, unused & boxed	
193	5108608 undercounter freezer white static cooling digital temperature control temperature range -18/-24°C door lock easy clean abs interior 600mm x 585mm x 850mm brand new unit, unused & boxed	
194	5108608 undercounter freezer white static cooling digital temperature control temperature range -18/-24°C door lock easy clean abs interior 600mm x 585mm x 850mm brand new unit, unused & boxed	
195	5108608 undercounter freezer white static cooling digital temperature control temperature range -18/-24°C door lock easy clean abs interior 600mm x 585mm x 850mm brand new unit, unused & boxed	
196	5108608 undercounter freezer white static cooling digital temperature control temperature range -18/-24°C door lock easy clean abs interior 600mm x 585mm x 850mm brand new unit, unused & boxed	
197	5108608 undercounter freezer white static cooling digital temperature control temperature range -18/-24°C door lock easy clean abs interior 600mm x 585mm x 850mm brand new unit, unused & boxed	



LOT NO.	DESCRIPTION	NOTES
216	5108088 Gastroline upright storage freezer stainless steel 49 cu ft takes 2/1 gastronorm containers +43 ambient stainless steel inside & out temp -18/-23°C 49 cu ft capacity 829mm x 2000mm x 1395mm	
217	5108088 Gastroline upright storage freezer stainless steel 49 cu ft takes 2/1 gastronorm containers +43 ambient stainless steel inside & out temp -18/-23°C 49 cu ft capacity 829mm x 2000mm x 1395mm	
218	5108088 Gastroline upright storage freezer stainless steel 49 cu ft takes 2/1 gastronorm containers +43 ambient stainless steel inside & out temp -18/-23°C 49 cu ft capacity 829mm x 2000mm x 1395mm	
219	5108088 Gastroline upright storage freezer stainless steel 49 cu ft takes 2/1 gastronorm containers +43 ambient stainless steel inside & out temp -18/-23°C 49 cu ft capacity 829mm x 2000mm x 1395mm	
220	5108088 Gastroline upright storage freezer stainless steel 49 cu ft takes 2/1 gastronorm containers +43 ambient stainless steel inside & out temp -18/-23°C 49 cu ft capacity 829mm x 2000mm x 1395mm	
221	5108620 True T35FZ Upright double door freezer stainless steel 8 shelves auto defrost 35 cu ft capacity temperature range of -18/-22°C brand new unit with castors & manufacturers warranty 1004mm x 750mm x 2074mm	
222	5108620 True T35FZ Upright double door freezer stainless steel 8 shelves auto defrost 35 cu ft capacity temperature range of -18/-22°C brand new unit with castors & manufacturers warranty 1004mm x 750mm x 2074mm	
223	5108613 True T23FZ upright reach in freezer 23 cu ft / 651 litre stainless steel 4 shelves takes 2/1 gastronorm digital gauge temperature range -18°C / -24°C brand new unit with castors & manufacturers warranty 750mm x 686mm x 2074mm	
224	5108741 TRUE GDM9E glass door merchandiser slide two door three shelf undercounter refrigerator / bottle cooler temperature range 0.5°C to 3.3°C 913mm x 532mm x 902mm	
225	5108741 TRUE GDM9E glass door merchandiser slide two door three shelf undercounter refrigerator / bottle cooler temperature range 0.5°C to 3.3°C 913mm x 532mm x 902mm	
226	Commercial Ice maker HUS-IM80-C-DO 80kg/24 ice maker with water filter 980mm x 675mm x 570mm brand new unused item	
227	Commercial Ice maker HUS-IM80-C-DO 80kg/24 ice maker with water filter 980mm x 675mm x 570mm brand new unused item	
228	Commercial Ice maker HUS-IM80-C-DO 80kg/24 ice maker with water filter 980mm x 675mm x 570mm brand new unused item	
229	Commercial Ice maker HUS-IM80-C-DO 80kg/24 ice maker with water filter 980mm x 675mm x 570mm brand new unused item	
230	Commercial Ice maker HUS-IM80-C-DO 80kg/24 ice maker with water filter 980mm x 675mm x 570mm brand new unused item	
End of Sale		

**Pro Auction Limited**

Unit 5, Midsomer Enterprise Park, Radstock Road, Bath, BA3 2BB United Kingdom  
Tel: +44(0)1761 414000 Fax: +44(0)845 280 2492 Email: [info@proauction.ltd.uk](mailto:info@proauction.ltd.uk) Website: [www.proauction.ltd.uk](http://www.proauction.ltd.uk)

Company Registration no: 5059610

All sales are binding, no refunds will be permitted under any circumstances – ensure you have viewed the lot before bidding

**Pro Auction**  
Limited

**Valuers & Auctioneers**

### Viewing:

**Viewing is by appointment with auctioneers only,  
at various locations,  
on  
Monday 30th July 2012**

Contact the auctioneers for further information and to request a catalogue:

### **Pro Auction Limited**

Unit 5,  
Midsomer Enterprise Park,  
Radstock Road,  
Bath BA3 2BB  
United Kingdom  
Tel: +44(0)1761 414000  
Fax: +44(0)845 280 2492

Email:  
info@proauction.ltd.uk  
Website:  
www.proauction.ltd.uk

Company Registration no: 5059610

**Surplus asset?**  
Call us for a free valuation and to organise your next sale

#### **SALIENT INFORMATION:**

- Identification is required to enable allocation of a bidding card.
- All capacities, dimensions and dates of manufacture are approximate and potential purchasers should make their own inspection & enquiries for verification.
- All bids are subject to applicable VAT 20% and a buyers premium of 16% + VAT.
- Payment is required on day of the sale unless prior arrangements have been agreed. Funds must be cleared before collection of goods.

**An effective way  
to maximise  
realisation on  
redundant assets,  
call the experts  
today  
Guaranteed  
Results!!**

#### **PLEASE NOTE:**

Commission and telephone bids by arrangement only.

